Rehabilitation Protocol: Anterior Cruciate Ligament (ACL) Reconstruction with Hamstrings Autograft



Signature: _____

Craig M. Capeci, MD

Orthopaedic Surgery & Sports Medicine Clinical Assistant Professor

1095 Park Ave, NY 212-427-7750
1056 5 th Ave, NY 212-348-3636
263 7 th Ave, Bklyn 718-246-8700

Name:	Date:
Diagnosis:	Date of Surgery:
transp • Hinge • • Range • Thera	tbearing: As tolerated with crutches (may be modified if concomitant meniscal repair/meniscal lant or articular cartilage procedure is performed) d Knee Brace: Locked in full extension for ambulation and sleeping (Weeks 0-1) Unlocked for ambulation and removed while sleeping (Weeks 1-4) of Motion − AAROM → AROM as tolerated peutic Exercises Quad/Hamstring sets and heel slides Non-weightbearing stretch of the Gastroc/Soleus Straight-Leg Raise with brace in full extension until quad strength prevents extension lag No Hamstring Stretching Until 4 Weeks Post-Op
 Weigh Hinge extens Range Thera 	Weeks 4-6) Itbearing: As tolerated discontinue crutch use d Knee Brace: Discontinue brace use when patient has achieved full extension with no evidence or ion lag of Motion - Maintain full knee extension - work on progressive knee flexion peutic Exercises Closed chain extension exercises Hamstring Stretching, Toe Raises, Balance Exercises Progress to weightbearing stretch of the Gastroc/Soleus Begin use of the stationary bicycle
WeighRange	(Weeks 6-16) Itbearing: Full weightbearing of Motion – Full/Painless ROM peutic Exercises Begin Hamstring strengthening Advance closed chain strengthening exercises, proprioception activities Begin use of the Stairmaster/Elliptical Can Start Straight Ahead Running at 12 Weeks
Phase IV (Comments:	(Months 4-6) Continue with strengthening (quad/hamstring) and flexibility Begin cutting exercises and sport-specific drills Maintenance program for strength and endurance Return to sports at 6 months
Frequency: _	times per week Duration: weeks

Date: _____