## Rehabilitation Protocol: Quadriceps or Patella Tendon Repair



## Craig M. Capeci, MD

Orthopaedic Surgery & Sports Medicine Clinical Assistant Professor \_\_1095 Park Ave, NY 212-427-7750 \_\_1056 5<sup>th</sup> Ave, NY 212-348-3636 \_\_263 7<sup>th</sup> Ave, Bklyn 718-246-8700

Name:	Date:
Diagnosis:	Date of Surgery:
<ul> <li>Phase I (Weeks 4-10)</li> <li>Weightbearing: As tolerated in the hinged knee brace locked in extension</li> <li>Hinged Knee Brace: Progressive increase in flexion allowed under guidance of PTOO Week 4: 0-30°, Week 5: 0-40°, Week 6: 0-70°, Week 8: 0-90°, Week 10: Unlocked</li> <li>Range of Motion: PROM and AAROM as tolerated according to restrictions above</li> <li>Therapeutic Exercise         <ul> <li>Begin isometric quadriceps strengthening, straight leg raises</li> <li>Patellar mobilization, scar massage</li> </ul> </li> </ul>	
<ul> <li>Phase II (Weeks 10-16)</li> <li>Weightbearing: As tolerated in unlocked hinged knee brace until week 12</li> <li>Hinged Knee Brace: Completely unlocked for Weeks 10-12, Discontinue brace at Week 12 if patient capable of straight leg raise with good quad control</li> <li>Range of Motion: AAROM → AROM as tolerated, Goal: full flexion by week 12-14</li> <li>Therapeutic Exercise         <ul> <li>Continue with patellar mobilizations</li> <li>Start stationary bicycle when ROM allows, Aquatic therapy</li> <li>Begin progressive resistance exercises/therabands</li> </ul> </li> </ul>	
<ul> <li>Phase III (Months 4-6)</li> <li>• Weightbearing: As tolerated</li> <li>• Range of Motion: Full and painless</li> <li>• Therapeutic Exercise</li> <li>• Continue with quadriceps strengthen</li> <li>• Start treadmill walking – progress to</li> </ul>	
Phase IV (Months 6-12)  o Gradual return to athletic activity o Maintenance program for strength an	
Comments:  Frequency: times per week Dura	tion: weeks
	ite: